EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6092147".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 10:55
L2	2	"7124938".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 10:55
L3	9	726/22-26.ccls. and (((check$5 validat$5 verifi$5 authenticat$5) near5 (hash$4 digest$5 licens$5)) with (((tamper-proof "tamper proof" trusted secur$5) near7 (component module)) (smart near3 card) "integrated chip" ic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 11:13
L4	25	726/22-26.ccls. and (((check$5 validat$5 verifi$5 authenticat$5) near5 (signature hash$4 digest$5 licens$5)) with (((tamper-proof "tamper proof" trusted secur$5) near7 (component module)) (smart near3 card) "integrated chip" ic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 11:41
L5	0	l4 and ((prevent$5 disallow$5) with ((os "operating system") near5 (load$5 install$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 11:37
L6	8	l4 and ((os "operating system") near5 (load$5 install$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 11:42
L7	0	705/59,65 and (((check$5 validat$5 verifi$5 authenticat$5) near5 (signature hash$4 digest$5 licens$5)) with (((tamper-proof "tamper proof" trusted secur$5) near7 (component module)) (smart near3 card) "integrated chip" ic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 11:41
L8	35	705/59,65.ccls. and (((check$5 validat$5 verifi$5 authenticat$5) near5 (signature hash$4 digest$5 licens$5)) with (((tamper-proof "tamper proof" trusted secur$5) near7 (component module)) (smart near3 card) "integrated chip" ic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 11:43

EAST Search History

L9	1	I8 and ((os "operating system") near5 (load$5 install$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 11:44
L10	46	713/155-156.ccls. and (((check$5 validat$5 verifi$5 authenticat$5) near5 (signature hash$4 digest$5 licens$5)) with (((tamper-proof "tamper proof" trusted secur$5) near7 (component module)) (smart near3 card) "integrated chip" ic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 11:43
L11	3	I8 and ((prevent$5 disallow$5 dis-allow$5) near5 (load$5 install$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 11:50
L12	1	I8 and ((prevent$5 disallow$5 dis-allow$5) near5 ((execut$5 run$5 load$5 install$5) near5 (code program software)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 11:52
L13	2	I8 and ((prevent$5 disallow$5 dis-allow$5) near5 ((execut$5 run$5 load$5 install$5) near5 (code program software data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 11:53
L14	3	I10 and ((prevent$5 disallow$5 dis-allow$5) near5 ((execut$5 run$5 load$5 install$5) near5 (code program software data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 11:53

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	16231	((trusted secur$4) with (module component)) and ((authoriz$5 validat$5 check$5 verif$5) near6 (user device platform))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:06
S2	9	S1 and (integrity with (prevent$5 near7 load$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:08
S3	36476	((smart near4 card) IC ((trusted secur$4) with (module component))) and ((authoriz$5 validat$5 check$5 verif$5) near6 (user device platform))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 13:06
S4	9	S3 and (integrity with (prevent$5 near7 load$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:08
S5	139	S3 and (sign$5 same (prevent$5 near7 load$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:09
S6	133	S5 not S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:59
S7	40	S6 and hash$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:06
S8	8	S6 and (stor$5 near5 certificate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:08
S9	482	Ivey.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:02

EAST Search History

S10	12	S9 and sun	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:02
S11	2053	(stor$5 near8 ((public near4 key) near8 certificate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:11
S12	36476	((smart near4 card) IC ((trusted secur$4) with (module component))) and ((authoriz$5 validat$5 check$5 verif$5) near6 (user device platform))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:08
S13	9	S12 and (integrity with (prevent$5 near7 load$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:08
S14	139	S12 and (sign$5 same (prevent$5 near7 load$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:08
S15	133	S14 not S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:08
S16	7	S15 and (stor$5 near5 certificate) and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:10
S17	7	S15 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:13
S18	6681	(stor$5 near8 (((public near4 key) near8 certificate) or (public near5 key)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:12
S19	29	S15 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:19

EAST Search History

S20	143071	((tamper-proof "tamper proof" trusted secur$4) near6 (component module)) (smart near4 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:21
S21	1216	S20 and ((check$5 validat$5 verif$5) near5 licens$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:22
S22	37076	S20 and (((check$5 validat$5 verif$5) near5 licens$5) with ((tamper-proof "tamper proof" trusted secur$4) near6 (component module)) (smart near4 card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:23
S23	67	S20 and (((check$5 validat$5 verif$5) near5 licens$5) with (((tamper-proof "tamper proof" trusted secur$4) near6 (component module)) (smart near4 card)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 09:59
S24	28	S23 and (public near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:24
S25	5	(((check$5 validat$5 verif$5) near5 licens$5) with (((tamper-proof "tamper proof" trusted secur$4) near6 (component module)) (smart near4 card))).clm.	US-PGPUB; USPAT	OR	ON	2007/04/11 13:27
S26	59	(((check$5 validat$5 verif$5) near5 licens$5) with (((tamper-proof "tamper proof" trusted secur$4) near6 (component module)) (smart near4 card)))	US-PGPUB; USPAT	OR	ON	2007/04/11 14:12
S27	0	S26 and (((operating near4 system) os) with (instal$5 near6 (code data software)))	US-PGPUB; USPAT	OR	ON	2007/04/11 13:29
S28	3	S26 and (((operating near4 system) os) same (instal$5 near6 (code data software)))	US-PGPUB; USPAT	OR	ON	2007/04/11 13:42
S29	543	((before upon) same (((operating near4 system) os) with (instal$6 near6 (code data software))))	US-PGPUB; USPAT	OR	ON	2007/04/11 14:13
S30	0	S26 and S29	US-PGPUB; USPAT	OR	ON	2007/04/11 13:44

EAST Search History

S31	131	(((check$5 validat$5 verif$5) near5 licens$5) same (((tamper-proof "tamper proof" trusted secur$4) near6 (component module)) (smart near4 card)))	US-PGPUB; USPAT	OR	ON	2007/04/11 14:13
S32	0	S31 and S29	US-PGPUB; USPAT	OR	ON	2007/04/11 14:14
S33	4365	(((operating near4 system) os) with (instal$6 near6 (code data software)))	US-PGPUB; USPAT	OR	ON	2007/04/11 14:15
S34	543	S33 and S29	US-PGPUB; USPAT	OR	ON	2007/04/11 14:17
S35	13	((((operating near4 system) os) with (instal$6 near6 (code data software))) same ((check$5 veif$6 validat$4) near6 (integrity license)))	US-PGPUB; USPAT	OR	ON	2007/04/11 14:16
S36	2	S35 and S29	US-PGPUB; USPAT	OR	ON	2007/04/11 14:17
S37	1203	726/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 14:33
S38	65	S37 and ((check$5 validat$5 verif$5) near5 licens$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 14:34
S39	4	S38 and (prevent$5 near6 (load$5 instal$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:04
S40	6	S38 and ((prevent$5 disallow$5) near6 (load$5 instal$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:06
S41	2	S40 not S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:05
S42	3	S38 and (((avoid$5 prevent$5 allow$5 permit$5 authoriz$4) near6 (load$5 instal$7)) with (validat$5 check$5 verif$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 17:00

S43	4905	(((avoid$5 prevent$5 allow$5 permit$5 authoriz$4) near6 (load$5 instal$7)) with (validat$5 check$5 verif$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 17:00
S44	373	((smart near4 card) IC ((trusted secur$4) with (module component))) and ((authoriz$5 validat$5 check$5 verif$5) near6 (user device platform)) and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 17:03
S45	28	S44 and (("third party" AA "authentication authority") with (public near5 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 17:04
S46	143355	((tamper-proof "tamper proof" trusted secur$4) near6 (component module)) (smart near4 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:00
S47	67	S46 and (((check$5 validat$5 verif$5) near5 licens$5) with (((tamper-proof "tamper proof" trusted secur$4) near6 (component module)) (smart near4 card)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:06
S48	1	S47 and (stor$5 near5 ((hash$5 digest) near5 (software code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:07
S49	1	S47 and 726/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:04
S50	122	S46 and (((check$5 validat$5 verif$5) near5 (hash$5 digest$5 licens$5)) with (((tamper-proof "tamper proof" trusted secur$4) near6 (component module)) (smart near4 card)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:50
S51	6	S50 and (stor$5 near5 ((hash$5 digest) near5 (software code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:40

S52	55	S50 not S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:08
S53	4	S52 and ((prevent$5 disallow$5) near6 (load$5 instal$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:17
S54	5	S52 and ((prevent$5 disallow$5) near6 (load$5 instal$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:39
S55	276	713/172.ccls. and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:45
S56	7	S55 and (stor$5 near5 ((hash$5 digest) near5 (software code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:40
S57	623	713/155-156.ccls. and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:45
S58	0	713/155-156.ccls. and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:45
S59	3	713/155-156.ccls. and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:48
S60	2	726/22.ccls. and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:50

EAST Search History

S61	14	S46 and (((check$5 validat$5 verif$5) near5 (hash$5 digest$5 licens$5)) with (((tamper-proof "tamper proof" trusted secur$4) near6 (component module)) (smart near4 card))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:51
S62	14	S46 and (((check$5 validat$5 verif$5) near5 (hash$5 digest$5 licens$5)) with (((tamper-proof "tamper proof" trusted secur$4) near6 (component module)) (smart near4 card))).clm.	US-PGPUB; USPAT	OR	ON	2007/04/18 12:12
S63	1	S62 and ((prevent$5 disallow$5) near7 (load$5 instal$6))	US-PGPUB; USPAT	OR	ON	2007/04/18 10:55
S64	1	S62 and ((prevent$5 disallow$5) near7 (load$5 instal$6)).clm.	US-PGPUB; USPAT	OR	ON	2007/04/18 10:56
S65	1	"6092147".pn.	US-PGPUB; USPAT	OR	ON	2007/04/18 12:12
S66	4905	(((avoid$5 prevent$5 allow$5 permit$5 authoriz$4) near6 (load$5 instal$7)) with (validat$5 check$5 verif$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 12:52
S67	12	S66 and 705/59.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 12:53
S68	5	S66 and 705/65.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 12:53
S69	5	S68 not S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 16:49
S70	2	"6463537".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 10:28
S71	13	(bus near5 bridge) and (secure near5 mode) and (source near5 detect$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 11:10

S72	7	(bus near2 bridge) and (secure near5 mode) and (source near5 detect$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 10:34
S73	0	S72 not S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 10:34
S74	492	(bus near2 bridge) and mode and ((sender source transmitter) near5 detect$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 10:35
S75	485	S74 not S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 10:36
S76	0	S75 and Hypertransport and "low count pin"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 10:37
S77	0	S75 and "low count pin"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 10:37
S78	0	S75 and Hypertransport and ("low pin count" LPC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 10:39
S79	2	S75 and ("low pin count" LPC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 10:38
S80	2	"BUS BRIDGE" and Hypertransport and ("low pin count" LPC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 10:38
S81	17	S75 and (control near3 logic) and (configuration near4 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 10:46

EAST Search History

S82	0	S81 and (receiv$5 near7 (security near5 initialization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 10:47
S83	0	S75 and (receiv$5 near7 (security near5 initialization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 10:47
S84	43	(bus near5 bridge) and (secure near5 mode) and (multiplexed near5 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 11:11
S85	41	(bus near5 bridge) and (secure near5 mode) and (multiplexed near5 (address and data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 11:11
S86	35	S85 not S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 12:50
S87	2	"7069442".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 12:52
S88	146	(secur$5 near5 mode) and (multiplexed near5 (address and data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 12:55
S89	2	(secur$5 near5 mode) and ((parallel near4 multiplexed) near8 (address and data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 12:57
S90	2	"6092147".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:25
S91	214	((check$5 verif$5 validat$5) near7 license) with (drm (digital near3 right))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 15:07

S92	25	S91 and ((trusted near3 module) (smart near3 card) dongle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 16:25
S93	5220	((check$5 verif$5 validat$5 authenticat$5) near7 license)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 15:08
S94	1001	((check$5 verif$5 validat$5 authenticat$5) near7 ((license right) near5 (software "digital content")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 15:10
S95	227	S94 and ((trusted near3 module) (smart near3 card) dongle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 15:10
S96	13	S95 and "public key certificate"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 15:11
S97	69	((trusted near3 module) (smart near3 card) dongle) with "public key certificate"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 08:20
S98	2	"20030046583"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 08:54
S99	2	"20030226038"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 08:54